



[Go to Product page](#)

Datasheet for ABIN1387319
anti-LRRTM4 antibody (AA 135-250)

Overview

Quantity:	100 µL
Target:	LRRTM4
Binding Specificity:	AA 135-250
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This LRRTM4 antibody is un-conjugated
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human LRRTM4
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	LRRTM4
Alternative Name:	LRRTM4 (LRRTM4 Products)

Target Details

Background: Synonyms: Leucine rich repeat transmembrane neuronal 4, Leucine rich repeat transmembrane neuronal 4 protein, Leucine rich repeat transmembrane neuronal protein 4, Leucine-rich repeat transmembrane neuronal 4 protein, Leucine-rich repeat transmembrane neuronal protein 4, LRRT4_HUMAN, Lrrtm4.

Background: The leucine-rich (LRR) repeat is a 20-30 amino acid motif that forms a hydrophobic / horseshoe fold, allowing it to accommodate several leucine residues within a tightly packed core. All LRR repeats contain a variable segment and a highly conserved segment, the latter of which accounts for 11 or 12 residues of the entire LRR motif. The LRRTM protein family plays a role in the regulation of various cellular events during nervous system development. Localizing predominantly to the nervous system, LRRTM family members are known to exhibit synaptogenic activity. LRRTM4 (leucine-rich repeat transmembrane neuronal protein 4) is a 590 amino acid member of the LRRTM protein family. Expressed in neuronal tissues, LRRTM4 may play a role in the development and maintenance of the vertebrate nervous system. A single-pass type I membrane protein, LRRTM4 contains 10 LRR repeats. LRRTM4 is expressed as two isoforms produced by alternative splicing.

Pathways: [Synaptic Membrane](#)

Application Details

Application Notes: ELISA 1:500-1000
IHC-P 1:200-400
IHC-F 1:100-500
IF(IHC-P) 1:50-200
IF(IHC-F) 1:50-200
IF(ICC) 1:50-200
ICC 1:100-500

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: 0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

Handling

handled by trained staff only.

Storage: 4 °C,-20 °C

Storage Comment: Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Expiry Date: 12 months