# antibodies - online.com







## anti-P2RY11 antibody (AA 71-170)



$\sim$					
()	VE	۲۱	/1	$\triangle$	Λ

Quantity:	100 μL
Target:	P2RY11
Binding Specificity:	AA 71-170
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This P2RY11 antibody is un-conjugated
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffinembedded Sections) (IF (p)), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human P2Y11	
Isotype:	IgG	
Cross-Reactivity:	Human	
Predicted Reactivity:	Cow,Pig,Horse	
Purification:	Purified by Protein A.	

### Target Details

Target:	P2RY11

#### **Target Details**

Alternative Name:	P2Y11 (P2RY11 Products)	
Background:	Synonyms: P2RY11, P2Y purinoceptor 11, P2Y11, P2Y11 receptor, P2Y11_HUMAN, Purinergic	
	receptor P2Y G protein coupled 11, Purinergic receptor P2Y11.	
	Background: P2Y purinoceptor 11 (P2Y11) is a 374 amino acid protein belonging to the G-	
	protein coupled receptor one family. P2Y11 is a multi-pass cell membrane protein that acts as a	
	receptor for both ATP and ATD coupled to G proteins. Due to these interactions, P2Y11 is	
	involved in phosphatidylinositol-calcium and adenylyl cyclase pathways. Induced by DMSO and	
	retinoic acid, P2Y11 is highly expressed in spleen tissue. A putative trans-splicing event	
	involving the gene that encodes P2Y11 and an upstream gene encoding PPAN has been found	
	to result in a fusion protein, designated PPAN-P2RY11.	
Gene ID:	5032	
UniProt:	Q96G91	
Pathways:	cAMP Metabolic Process	
Application Details		
Application Notes:	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	

### Handling

Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months