# antibodies -online.com





# anti-Homeobox C6 antibody (AA 155-235)



#### Overview

Quantity:	100 μL
Target:	Homeobox C6 (HOXC6)
Binding Specificity:	AA 155-235
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Homeobox C6 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human HOXC6
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Cow,Sheep,Rabbit
Purification:	Purified by Protein A.

## **Target Details**

Target:	Homeobox C6 (HOXC6)
Alternative Name:	HOXC6 (HOXC6 Products)

#### **Target Details**

#### Background:

Synonyms: CP25, HHO.C8, Homeo box 3C, Homeo box C6, Homeo box C8 protein, Homeobox C6, Homeobox protein CP25, Homeobox protein HHO.C8, Homeobox protein Hox-3C, Homeobox protein Hox-C6, HOX3, HOX3C, Hoxc6, HXC6\_HUMAN.

Background: The Hox proteins play a role in development and cellular differentiation by regulating downstream target genes. Specifically, the Hox proteins direct DNA-protein and protein-protein interactions that assist in determining the morphologic features associated with the anterior-posterior body axis. The mammalian HOX gene complex consists of 39 genes that are located on 4 linkage groups, which are dispersed over 4 chromosomes. HOX genes that occupy the same relative position along the 5? to 3? coordinate (trans-paralogous genes) are more similar in sequence and expression pattern than adjacent HOX genes on the same chromosome. HoxC6 sequence-specific transcription factor is part of a developmental regulatory system that provides cells with specific positional identities on the anterior-posterior axis. HOXC6 may be a novel potential therapeutic target for prostate cancer.

Gene ID:

3223

#### **Application Details**

Application Notes:	WB 1:300-5000

ELISA 1:500-1000

IHC-P 1:200-400

IHC-F 1:100-500

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

ICC 1:100-500

Restrictions:

For Research Use only

#### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

## Handling

Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months