

Datasheet for ABIN1387462
anti-PVRL1 antibody (AA 31-130)[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	PVRL1
Binding Specificity:	AA 31-130
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PVRL1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunocytochemistry (ICC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Dot Blot (DB)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CD111/Nectin1
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	PVRL1
---------	-------

Target Details

Alternative Name:	CD111/Nectin1 (PVRL1 Products)
Background:	<p>Synonyms: ED4, PRR, HIgR, HV1S, HVEC, OFC7, PRR1, PVRR, CD111, PVRR1, SK-12, CLPED1, nectin-1, Herpes virus entry mediator C, Herpesvirus entry mediator C, Herpesvirus Ig-like receptor, Poliovirus receptor-related protein 1, PVRL1</p> <p>Background: Promotes cell-cell contacts by forming homophilic or heterophilic trans-dimers. Heterophilic interactions have been detected between PVRL1/nectin-1 and PVRL3/nectin-3 and between PVRL1/nectin-1 and PVRL4/nectin-4. Functions as an entry receptor for herpes simplex virus and pseudorabies virus. Has some neurite outgrowth-promoting activity.</p>
Gene ID:	5818
UniProt:	Q15223
Pathways:	Cell-Cell Junction Organization

Application Details

Application Notes:	WB 1:300-5000 ELISA 1:500-1000 IHC-P 1:200-400 IHC-F 1:100-500 IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200 dot-blot() ICC 1:100-500
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Handling

Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months

Images



Western Blotting

Image 1. Lane 1: MCF-7 lysates probed with Rabbit Anti-Nectin1/CD111 Polyclonal Antibody, Unconjugated (ABIN1387462) at 1:300 overnight at 4°C. Followed by conjugation to secondary antibody at 1:5000 for 90 min at 37°C.