antibodies -online.com







anti-GGACT antibody (AA 1-50)



Image



Overview

Quantity:	100 μL
Target:	GGACT
Binding Specificity:	AA 1-50
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GGACT antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human A2LD1
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	GGACT
9	


Target Details

rarget Details	
Alternative Name:	A2LD1/GGACT (GGACT Products)
Background:	Synonyms: A2LD1, Gamma-glutamylaminecyclotransferase, GGACT, AIG2-like domain-
	containing protein 1, Gamma-glutamylamine cyclotransferase
	Background: Contributes to degradation of proteins cross-linked by transglutaminases.
	Degrades the cross-link between a lysine and a glutamic acid residue from two proteins that
	have been cross-linked by transglutaminases. Catalyzes the formation of 5-oxoproline from L-
	gamma-glutamyl-L-epsilon-lysine. Inactive with L-gamma-glutamyl-alpha-amino acid
	substrates such as L-gamma-glutamyl-L-alpha-cysteine and L-gamma-glutamyl-L-alpha-
	alanine.
Gene ID:	87769
UniProt:	Q9BVM4
Application Details	
Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	FCM 1:20-100
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
	ICC 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C

Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Formalin-fixed and paraffin embedded rat brain labeled with Anti-A2LD1/GGACT Polyclonal Antibody, Unconjugated (ABIN1387486) at 1:300 followed by conjugation to the secondary antibody and DAB staining.