

[Go to Product page](#)

Datasheet for ABIN1387682 **anti-ATRNL1 antibody (AA 501-600)**

Overview

Quantity:	100 µL
Target:	ATRNL1
Binding Specificity:	AA 501-600
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ATRNL1 antibody is un-conjugated
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ATRNL1
Isotype:	IgG
Predicted Reactivity:	Human, Mouse, Rat, Dog, Cow, Sheep, Pig, Horse, Chicken, Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	ATRNL1
Alternative Name:	ATRNL1 (ATRNL1 Products)

Target Details

Background:	Synonyms: ATRN1_HUMAN, ATRNL1, Attractin-like protein 1, KIAA0534. Background: ATRNL1 is a 1,379 amino acid single-pass type I membrane protein that may play a role in melanocortin signaling pathways that regulate energy homeostasis. The ATRNL1 protein contains a C-type lectin domain, a CUB domain, two EGF-like domains, six Kelch repeats, two laminin EGF-like domains and five PSI domains. ATRNL1 interacts with MC4-R in several regions known to be important in the regulation of energy homeostasis by melanocortins, such as the paraventricular nucleus of hypothalamus and the dorsal motor nucleus of the vagus. The ATRNL1 gene is conserved in dog, cow, mouse, rat, chicken, zebrafish and C. elegans, exists as two alternatively spliced isoforms and maps to human chromosome 10q25.3. Strong evidence of linkage to late-onset Alzheimer disease (LOAD) is linked to chromosome 10, which implicates a wide region and at least one disease-susceptibility locus.
-------------	--

Application Details

Application Notes:	ELISA 1:500-1000 IHC-P 1:200-400 IHC-F 1:100-500 IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200 ICC 1:100-500
--------------------	---

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Handling

Expiry Date: 12 months