antibodies -online.com

Datasheet for ABIN1387706





anti-DDX23 antibody (AA 201-300)

Go to Product page

Overview

Quantity:	100 μL
Target:	DDX23
Binding Specificity:	AA 201-300
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DDX23 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DDX23
Isotype:	IgG
Predicted Reactivity:	Human, Mouse, Rat, Dog, Cow, Sheep, Pig, Horse, Chicken, Rabbit
Purification:	Purified by Protein A.
Target Details	

Target Details

Target:	DDX23
Alternative Name:	DDX23 (DDX23 Products)

Target Details

Precaution of Use:

Synonyms: 100 kDa U5 snRNP-specic protein, DEAD box protein 23, EC 3.6.1, PRP28 homolog,
U5-100kD, DDX23_HUMAN.
Background: DDX23 encodes a member of the DEAD box protein family. DEAD box proteins,
characterized by the conserved motif Asp-Glu-Ala-Asp (DEAD), are putative RNA helicases. They
are implicated in a number of cellular processes involving alteration of RNA secondary
structure, such as translation initiation, nuclear and mitochondrial splicing, and ribosome and
spliceosome assembly. Based on their distribution patterns, some members of this family are
believed to be involved in embryogenesis, spermatogenesis, and cellular growth and division.
The protein encoded by this gene is a component of the U5 snRNP complex, it may facilitate
conformational changes in the spliceosome during nuclear pre-mRNA splicing. An alternatively
spliced transcript variant has been found for this gene, but its biological validity has not been
determined.
9416
Ribonucleoprotein Complex Subunit Organization
WB 1:300-5000
ELISA 1:500-1000
IHC-P 1:200-400
IHC-F 1:100-500
IF(IHC-P) 1:50-200
IF(IHC-F) 1:50-200
IF(ICC) 1:50-200
ICC 1:100-500
For Research Use only
Liquid
1 μg/μL
0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
ProClin
_

This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

Handling

	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months