antibodies - online.com





Datasheet for ABIN1387724

anti-CTRP5 antibody (AA 191-243)



()	11/0	K\ /	iew	1
	\cup	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	CTRP5 (C1QTNF5)
Binding Specificity:	AA 191-243
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CTRP5 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CTRP5	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Rat,Dog,Cow,Pig,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	CTRP5 (C1QTNF5)	
---------	-----------------	--

Target Details

Alternative Name:	CTRP5 (C1QTNF5 Products)	
Background:	Synonyms: C1q and tumor necrosis factor related protein 5, C1QTNF5, Complement C1q tumor	
	necrosis factor related protein 5 precursor, LORD, C1QT5_HUMAN.	
	Background: Members of the C1q superfamily have diverse functions that are related to cell	
	adhesion and basement membrane components. CTRP5 (Complement C1q tumor necrosis	
	factor-related protein 5) is a 243 amino acid secreted and membrane-associated protein that	
	contains a collagen-like domain and a C1q domain. CTRP5 is a short-chain collagen that is	
	expressed in retinal pigment epithelium as well as brain, lung, liver and placenta. By forming an	
	extracellular hexagonal lattice, CTRP5 facilitates the adhesion of basal retinal pigment	
	epithelium to Bruch?s membrane, the innermost layer of the choroid. A mutation within the C1c	
	domain of CTRP5 results in abnormal high molecular weight aggregate formation, which alters	
	its structure and interactions. This mutation may result in the presentation of late-onset retinal	
	degeneration (LORD), an autosomal dominant disorder that is characterized by punctate yellow	
	white deposits in the retinal fundus and night blindness.	
Gene ID:	114902	
UniProt:	Q9BXJ0	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	

Handling

Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months