antibodies -online.com





anti-LRPPRC antibody



Go to Product page

| \sim | | | |
|--------|-----|-----|-----|
| | N/P | r\/ | i⊢₩ |

| Quantity: | 100 μL |
|--------------|--|
| Target: | LRPPRC |
| Reactivity: | Human, Mouse, Rat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This LRPPRC antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human LRP130 |
|-------------------|--|
| Isotype: | IgG |
| Cross-Reactivity: | Human, Mouse, Rat |
| Purification: | Purified by Protein A. |

Target Details

| Target: | LRPPRC |
|-------------------|---|
| Alternative Name: | LRP130 (LRPPRC Products) |
| Background: | Synonyms: LRPPRC, 130 kDa leucine-rich protein, GP130, Leucine-rich PPR-mot containing protein, LRP 130, LPPRC_HUMAN. |
| | Background: Leucine-rich protein (LRP130) is a cytoplasmic mRNA-binding protein likely to be |

Target Details

involved in the processing of mitochondrial DNA transcripts. Defects in the LRPPRC gene that encodes LRP130 result in the French-Canadian type of Leigh syndrome, a severe neurological disorder characterized by lesions in the subcortical region of the brain. LRP130 also interacts with the low-affinity receptor for leukemia inhibitory factor to produce an intracelluar signal cascade.

Application Details

| Restrictions: | IF(IHC-P) 1:50-200 For Research Use only |
|--------------------|---|
| | IHC-P 1:200-400 |
| Application Notes: | WB 1:300-5000 |

Handling

| Format: | Liquid |
|--------------------|--|
| Concentration: | 1 μg/μL |
| Buffer: | 0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles. |
| Expiry Date: | 12 months |