antibodies -online.com





anti-Calsyntenin 2 antibody (AA 261-360)



Overview

Quantity:	100 μL
Target:	Calsyntenin 2 (CLSTN2)
Binding Specificity:	AA 261-360
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Calsyntenin 2 antibody is un-conjugated
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffinembedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CLSTN2
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Cow,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	Calsyntenin 2 (CLSTN2)	

Target Details

l arget Details	
Alternative Name:	CLSTN2 (CLSTN2 Products)
Background:	Synonyms: Alc, Alcadein, Alcadein Gamma, Alcagamma, Alzheimer's disease related cadherin
	like protein, Calsyntenin 2, CLSTN 2, CS 2, CS2, FLJ39113, FLJ39499, MGC119560,
	CSTN2_HUMAN.
	Background: Members of the calsyntenin protein family are localized to the post-synaptic
	membrane of exicitatory central nervous system (CNS) synapses. Calsyntenin-2, also known a
	Alcadein-gamma, is a 955 amino acid protein that localizes to the endoplasmic reticulum, golg
	apparatus and plasma membranes. Containing 2 cadherin-like repeats in its N-terminal
	extracellular region, calsyntenin-2 binds synaptic calcium with its cytoplasmic domain,
	suggesting a role in the modulation of calcium-mediated postsynaptic signals. Under normal
	physiological conditions, calsyntenin-2 is protoeolytically processed in an event in which the
	primary zeta-cleavage generates a short C-terminal transmembrane fragment and a long
	extracellular N-terminal domain.
Application Details	
Application Notes:	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
	ICC 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

4 °C,-20 °C

Storage:

Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months