antibodies -online.com







Overview

Quantity:	100 μL
Target:	HDHD3
Binding Specificity:	AA 1-100
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HDHD3 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human HDHD3
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Sheep,Horse
Purification:	Purified by Protein A.

Target Details

|--|

Target Details

- Target Details	
Alternative Name:	HDHD3 (HDHD3 Products)
Background:	Synonyms: C9orf158, Chromosome 9 open reading frame 158, Haloacid dehalogenase like
	hydrolase domain containing 3, Haloacid dehalogenase-like hydrolase domain-containing
	protein 3, HDHD3_HUMAN, MGC12904.
	Background: HDHD3 (haloacid dehalogenase-like hydrolase domain containing 3) is a 251
	amino acid protein that belongs to the HAD-like hydrolase superfamily, which contains a group
	of hydrolase enzymes that differ from the å,/ hydrolase family based on structure. This family
	of hydrolase enzymes includes L-2-haloacid dehalogenase, epoxide hydrolases and
	phosphatases. HDHD3 is encoded by a gene located on human chromosome 9q32.
	Chromosome 9 consists of about 145 million bases, 4 % of the human genome and encodes
	nearly 900 genes. Thought to play a role in gender determination, deletion of the distal portion
	of 9p can lead to development of male to female sex reversal, the phenotype of a female with a
	male X,Y genotype.
Gene ID:	81932
Application Details	
Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Handling

Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months