antibodies - online.com





Datasheet for ABIN1388677

anti-AAV VP1 antibody (Biotin)

Overview	
Quantity:	100 μL
Target:	AAV VP1
Reactivity:	Adeno-Associated Virus (AAV)
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This AAV VP1 antibody is conjugated to Biotin
Application:	Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), ELISA
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from Adeno-Associated Virus 5 capsid protein VP1
Isotype:	IgG

isotype

This antibody will recognize many AAV strains, including AAV5, AAV4, AAV3B, AAV9, and AAV13 Specificity:

Cross-Reactivity: Virus

AAV5 Cross-Reactivity (Details):

Purification: Purified by Protein A.

Target Details

AAV VP1 Target: Alternative Name: Adeno-Associated Virus Capsid Protein VP1 (AAV VP1 Products)

Target Details

Target Type:	Viral Protein
Target Type: Background:	Synonyms: capsid protein Adeno-associated 5 virus, capsid protein [Adeno-associated virus - 5], capsid protein AAV5, Parvovirus coat protein VP1, capsid protein. Background: Capsid protein self-assembles to form an icosahedral capsid with a T=1 symmetry, about 22 nm in diameter, and consisting of 60 copies of three size variants of the capsid protein VP1, VP2 and VP3 which differ in their N-terminus. The capsid encapsulates the genomic ssDNA. Binds to host cell heparan sulfate and uses host ITGA5-ITGB1 as coreceptor on the cell surface to provide virion attachment to target cell. This attachment induces virion internalization predominantly through clathrin-dependent endocytosis. Binding to the host receptor also induces capsid rearrangements leading to surface exposure of VP1 N-terminus, specifically its phospholipase A2-like region and putative nuclear localization signal(s). VP1 N-
	terminus might serve as a lipolytic enzyme to breach the endosomal membrane during entry into host cell and might contribute to virus transport to the nucleus

Application Details

Application Notes:	WB 1:100-1000
	IHC-P 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months