antibodies -online.com





anti-IL28RA antibody (AA 51-150) (Alexa Fluor 555)



Go to Product page

()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL
Target:	IL28RA
Binding Specificity:	AA 51-150
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IL28RA antibody is conjugated to Alexa Fluor 555
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human IL-28R
Isotype:	IgG
Specificity:	Predicted to also work in Rat based on sequence similarity
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Pig,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	IL28RA	

Target Details

Alternative Name:	IL-28R (IL28RA Products)
Background:	Synonyms: IFNLR, LICR2, IL28RA, CRF2/12, IL-28R1, Interferon lambda receptor 1, IFN-lambda
	receptor 1, IFN-lambda-R1, Cytokine receptor class-II member 12, Cytokine receptor family 2
	member 12, CRF2-12, Interleukin-28 receptor subunit alpha, IL-28 receptor subunit alpha, IL-
	28R-alpha, IL-28RA, Likely interleukin or cytokine receptor 2, IFNLR1
	Background: The IFNLR1/IL10RB dimer is a receptor for the cytokine ligands IFNL2 and IFNL3
	and mediates their antiviral activity. The ligand/receptor complex stimulate the activation of the
	JAK/STAT signaling pathway leading to the expression of IFN-stimulated genes (ISG), which
	contribute to the antiviral state. Determines the cell type specificity of the lambda interferon
	action. Shows a more restricted pattern of expression in the epithelial tissues thereby limiting
	responses to lambda interferons primarily to epithelial cells of the respiratory, gastrointestinal,
	and reproductive tracts. Seems not to be essential for early virus-activated host defense in
	vaginal infection, but plays an important role in Toll-like receptor (TLR)-induced antiviral
	defense. Plays a significant role in the antiviral immune defense in the intestinal epithelium.
Gene ID:	163702
UniProt:	Q8IU57
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months