# antibodies - online.com





# anti-IL28RA antibody (AA 51-150) (Biotin)



0 -	4.4	Prod	400		_
1-()	10	Pron	ויאוו	nan	$\boldsymbol{\omega}$
$\circ$	LO.	1 100	uot	Dud	

( )	1/0	r\ /1	014	
( )	ve	I V I	-v	V

Quantity:	100 μL
Target:	IL28RA
Binding Specificity:	AA 51-150
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IL28RA antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human IL-28R	
Isotype:	lgG	
Specificity:	Predicted to also work in Rat based on sequence similarity	
Cross-Reactivity:	Human	
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Pig,Rabbit	
Purification:	Purified by Protein A.	

#### **Target Details**

Target:	IL28RA	

### Target Details

Alternative Name:	IL-28R (IL28RA Products)
Background:	Synonyms: IFNLR, LICR2, IL28RA, CRF2/12, IL-28R1, Interferon lambda receptor 1, IFN-lambda receptor 1, IFN-lambda-R1, Cytokine receptor class-II member 12, Cytokine receptor family 2 member 12, CRF2-12, Interleukin-28 receptor subunit alpha, IL-28 receptor subunit alpha, IL-28R-alpha, IL-28RA, Likely interleukin or cytokine receptor 2, IFNLR1  Background: The IFNLR1/IL10RB dimer is a receptor for the cytokine ligands IFNL2 and IFNL3 and mediates their antiviral activity. The ligand/receptor complex stimulate the activation of the JAK/STAT signaling pathway leading to the expression of IFN-stimulated genes (ISG), which contribute to the antiviral state. Determines the cell type specificity of the lambda interferon action. Shows a more restricted pattern of expression in the epithelial tissues thereby limiting responses to lambda interferons primarily to epithelial cells of the respiratory, gastrointestinal, and reproductive tracts. Seems not to be essential for early virus-activated host defense in vaginal infection, but plays an important role in Toll-like receptor (TLR)-induced antiviral defense. Plays a significant role in the antiviral immune defense in the intestinal epithelium.
Gene ID:	163702
UniProt:	Q8IU57
Application Details	
Application Notes:  Restrictions:	WB 1:300-5000 IHC-P 1:200-400 IHC-F 1:100-500 For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
	-20 °C

## Handling

Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months