antibodies.com

Datasheet for ABIN1389813 anti-Chromosome 11open Reading Frame 9 (C11orf9) (AA 401-500) antibody (Alexa Fluor 350)



Overview

Quantity:	100 μL
Target:	Chromosome 11open Reading Frame 9 (C11orf9)
Binding Specificity:	AA 401-500
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	Alexa Fluor 350
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human MYRF
Isotype:	lgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Sheep,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	Chromosome 11open Reading Frame 9 (C11orf9)
Alternative Name:	MYRF/C11orf9 (C11orf9 Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN1389813 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

Background:	Synonyms: MRF, Ndt80, pqn-47, C11orf9, Myelin regulatory factor, Myelin gene regulatory
	factor, MYRF, KIAA0954
	Background: Myelin regulatory factor: Consitutes a precursor of the transcription factor.
	Mediates the autocatalytic cleavage that releases the Myelin regulatory factor, N-terminal
	component that specifically activates transcription of central nervous system (CNS) myelin
	genes (PubMed:23966832). Myelin regulatory factor, C-terminal: Membrane-bound part that
	has no transcription factor activity and remains attached to the endoplasmic reticulum
	membrane following cleavage. Myelin regulatory factor, N-terminal: Transcription factor that
	specifically activates expression of myelin genes such as MBP, MOG, MAG and PLP1 during
	oligodendrocyte (OL) maturation, thereby playing a central role in oligodendrocyte maturation
	and CNS myelination. Specifically recognizes and binds DNA sequence 5'-CTGGYAC-3' in the
	regulatory regions of myelin-specific genes and directly activates their expression. Not only
	required during oligodendrocyte differentiation but is also required on an ongoing basis for the
	maintenance of expression of myelin genes and for the maintenance of a mature, viable
	oligodendrocyte phenotype (PubMed:23966832).
Gene ID:	745
UniProt:	Q9Y2G1
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 ar 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should b handled by trained staff only.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN1389813 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

Handling	
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months