antibodies -online.com







anti-XPO5 antibody (AA 221-320) (Biotin)



Overview

| Quantity: | 100 μL |
|----------------------|--|
| Target: | XPO5 |
| Binding Specificity: | AA 221-320 |
| Reactivity: | Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This XPO5 antibody is conjugated to Biotin |
| Application: | ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human Exportin 5 |
|-----------------------|--|
| Isotype: | IgG |
| Cross-Reactivity: | Mouse |
| Predicted Reactivity: | Human,Rat,Dog,Cow,Sheep,Pig,Horse,Chicken,Rabbit |
| Purification: | Purified by Protein A. |
| | |

Target Details

| Target: | XPO5 |
|-------------------|----------------------------|
| Alternative Name: | Exportin 5 (XPO5 Products) |

Target Details

Background:

Synonyms: Exp 5, Exp5, Exportin 5, Exportin-5, Exportin5, FLJ14239, FLJ32057, FLJ45606, KIAA1291, Ran binding protein 21, Ran-binding protein 21, Ranbp 21, Ranbp 21, Xpo 5, xpo5, XPO5_HUMAN.

Background: Exportin 5 (XPO5) is a member of the importin _ family of proteins and functions in tRNA export in a sequence dependent fashion. More recently, it has been shown to export premiRNA by a RanGTPase-driven process from the nucleus to the cytoplasm, where pre-miRNA processing occurs to produce mature miRNAs. Study of the miRNA biosynthesis pathway is essential in understanding the process of oncogenesis as global downregulation of miRNAs and the resulting alterations in the expression of tumor suppressor and oncogenic proteins is a common phenotype of cancers cells . Research studies have shown disruption of exportin 5 functions in many types of cancers including breast and lung, where pre-miRNA accumulates in the nucleus and miRNA maturation is impaired.

Pathways:

Regulatory RNA Pathways, Protein targeting to Nucleus

Application Details

Application Notes:

IHC-P 1:200-400

IHC-F 1:100-500

Liquid

Restrictions:

For Research Use only

Handling

Format:

| Concentration: | 1 μg/μL |
|----------------|--|
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C for 12 months.

Expiry Date: 12 months