



[Go to Product page](#)

Datasheet for ABIN1390346  
**anti-EVC antibody (AA 251-350) (FITC)**

### Overview

Quantity:	100 µL
Target:	EVC
Binding Specificity:	AA 251-350
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This EVC antibody is conjugated to FITC
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human EVC1
Isotype:	IgG
Predicted Reactivity:	Human
Purification:	Purified by Protein A.

### Target Details

Target:	EVC
Alternative Name:	EVC1 ( <a href="#">EVC Products</a> )
Background:	Synonyms: Ellis van Creveld syndrome DWF 1, DWF1, Ellis van Creveld syndrome protein, Ellis-

## Target Details

---

van Creveld syndrome, EVC, EVC1, EVC 1, EVC-1, EVCL, MGC105107, EVC\_HUMAN.

Background: EVC is an autosomal skeletal dysplasia caused by mutations in the EVC and EVC2 genes. Found in developing ribs, heart, kidney and lung, the EVC gene is responsible for normal development of the face, limbs, teeth and nails. The protein expressed by the EVC gene is an intracellular component of the hedgehog signal pathway that contains a leucine zipper and transmembrane domain. Defects in the EVC gene can lead to short-limb dwarfism, ectodermal dysplasia and cardiac anomalies such as irregular atrioventricular septum development. Additionally, the EVC gene has been implicated in Weyers acrodistal dysostosis, an autosomal dominant disease characterized by facial abnormalities and limb defects.

Pathways: [Hedgehog Signaling](#)

## Application Details

---

Application Notes: IF(IHC-P) 1:50-200  
IF(IHC-F) 1:50-200  
IF(ICC) 1:50-200

Restrictions: For Research Use only

## Handling

---

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date: 12 months