

Datasheet for ABIN1390541

anti-DLG3 antibody (AA 501-600) (AbBy Fluor® 555)



()	ve	rvi	6	W
\sim	v C	1 V I	\sim	v v

Overview		
Quantity:	100 μL	
Target:	DLG3	
Binding Specificity:	AA 501-600	
Reactivity:	Human, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This DLG3 antibody is conjugated to AbBy Fluor® 555	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human SAP102	
Isotype:	IgG	
Cross-Reactivity:	Human, Rat	
Predicted Reactivity:	Mouse,Dog,Cow,Pig,Horse,Chicken,Rabbit	
Purification:	Purified by Protein A.	
Target Details		
Target:	DLG3	
Alternative Name:	SAP102/DLG3 (DLG3 Products)	

Target Details

Expiry Date:

Background:	Synonyms: Discs large homolog 3 neuroendocrine dlg, Discs large homolog 3, Disks large	
	homolog 3, DLG 3, DLG3, DLG3_HUMAN, MPP3, MPP-3, KIAA1232, mKIAA1232, MRX 90, MRX,	
	MRX90, NE Dlg, NEDLG, Neuroendocrine dlg, Neuroendocrine-DLG, OTTHUMP00000023475,	
	OTTHUMP00000023476, OTTHUMP00000023477, SAP 102, SAP-102, SAP102, Synapse	
	associated protein 102, Synapse-associated protein 102, XLMR, bA29107.3, bA29107.3.	
	Background: MPP3, also known as Discs large homolog 3 (DLG3), is a 585 amino acid protein	
	belonging to the MAGUK family. Proteins in the MAGUK family, including CASK, ZO-1, ZO-2, p55	
	and MPP2, are known to regulate cell proliferation, intracellular junctions and signaling	
	pathways by interacting with the cytoskeleton. MPP3 contains one guanylate kinase-like	
	domain, one PDZ domain, two L27 domains and one SH3 domain. Via the PDZ domain, MMP3	
	interacts with the C-terminus of TSLC1. MMP3 has also been found to interact with SR-2A and	
	SR-4.	
Gene ID:	1741, 1739	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Fundam Deter	10	

12 months