antibodies -online.com





Datasheet for ABIN1390656

anti-APBA1 antibody (AA 451-550) (Alexa Fluor 647)



Go to Product page

| () | 1/0 | r\ /1 | 014 | |
|-----|-----|-------|-----|---|
| () | ve | I V I | -v | V |
| | | | | |

| Quantity: | 100 μL |
|----------------------|--|
| Target: | APBA1 |
| Binding Specificity: | AA 451-550 |
| Reactivity: | Human, Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This APBA1 antibody is conjugated to Alexa Fluor 647 |
| Application: | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human APBA1 |
|-----------------------|---|
| Isotype: | IgG |
| Cross-Reactivity: | Human, Mouse |
| Predicted Reactivity: | Rat,Dog,Cow,Sheep,Pig,Chicken |
| Purification: | Purified by Protein A. |

Target Details

| Target: | APBA1 |
|-------------------|------------------------|
| Alternative Name: | APBA1 (APBA1 Products) |

Target Details

| D | | | | -1. |
|-----|-----|-----|----|-----|
| Bac | Kar | Ol. | ın | a: |

Synonyms: Adapter protein X11 alpha; Adapter protein X11alpha; Amyloid beta A4 precursor protein-binding family A member 1; Apba1; APBA1_HUMAN; Mint 1; Mint-1; Neuron specic X11 protein; Neuron-specic X11 protein; Neuronal Munc18 1 interacting protein 1; Neuronal Munc18-1-interacting protein 1; UROP11; x11; X11alpha.

Background: The Beta-Amyloid precursor protein (Beta-APP) is a major constituent of the amyloid deposits in patients with Alzheimer?s disease. The Beta-Amyloid precursor is known to interact with several proteins, including X11 and the G heterotrimetric protein APP-BP1. The neuronal, transmembrane protein X11 is known to bind to the -Amyloid precursor protein via a phosphotyrosine binding (PTB) domain, reducing the secretion of cellular Beta-APP and slowing Beta-APP processing pathways. X11 binds specifically to the YENPTY motif, which is involved in the internalization of Beta-APP. Multiple splice varitents of X11 have been identified, including X11å (also designated Mint 1), X11Beta (Mint 2) and X11(Mint 3).

Pathways:

Synaptic Vesicle Exocytosis, Dicarboxylic Acid Transport

Application Details

Application Notes:

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

Handling

| Format: | Liquid |
|--------------------|--|
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |