# antibodies -online.com





# anti-Syntaxin 12 antibody (AA 101-200) (Alexa Fluor 350)



Go to Product page

$\sim$			
	N/P	r\/	i⊢₩

Quantity:	100 μL	
Target:	Syntaxin 12 (STX12)	
Binding Specificity:	AA 101-200	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Syntaxin 12 antibody is conjugated to Alexa Fluor 350	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from rat Syntaxin 13	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Pig,Horse	
Purification:	Purified by Protein A.	

## **Target Details**

Target:	Syntaxin 12 (STX12)
Alternative Name: Syntaxin 13 (STX12 Products)	

## **Target Details**

Storage Comment:

rarget betails		
Background:	Synonyms: Syntaxin13, Syntaxin13, Syntaxin-13, Syx13, Syx13, Syx-13, CG11278, CT31479,	
	Dm Syx13, ff16, l301470, STX12_RAT.	
	Background: Syntaxin 13 is an integral membrane protein that belongs to the t-SNARE family, a	
	group of proteins involved in protein transport. Confocal immunofluoresence and electron	
	microscopy studies have shown that syntaxin 13 is primarily localized to tubular early and	
	recycling endosomes, where it colocalizes with transferrin receptor, and it is also localized in	
	endosomal vacuoles. Syntaxin 13 has been found to be expressed in all tissues, with higher	
	levels of the protein found in brain, lung, spleen, thymus and testes. Immunoprecipitation	
	studies show that syntaxin 13 complexes with beta-SNAP, VAMP2/3, and SNAP25. The binding	
	of this complex to alpha-SNAP and NSF is terminated in the presence of ATP. These results	
	suggest that syntaxin 13 is a SNARE protein which mediates the recycling protein flow through	
	tubulo vesicular recycling endosomes.	
Gene ID:	65033	
Pathways:	Synaptic Vesicle Exocytosis	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

	_	
- 1	II	1:
-	-222	nnc
- 1	Hand	11111

Expiry Date:

12 months