# antibodies .- online.com







## anti-SYT12 antibody (AA 301-350) (Biotin)



( )	1 /	$\sim$	KI /	110	Νę
	1//	$\vdash$	I \/	1 ←	٠// ٢

Quantity:	100 μL	
Target:	SYT12	
Binding Specificity:	AA 301-350	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SYT12 antibody is conjugated to Biotin	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human Synaptotagmin XII	
Isotype:	IgG	
Cross-Reactivity:	Human	
Predicted Reactivity:	Mouse,Rat,Dog,Sheep,Pig,Rabbit	
Purification:	Purified by Protein A.	

## **Target Details**

Target:	SYT12
Alternative Name:	Synaptotagmin 12 (SYT12 Products)

#### **Target Details**

Background:

Synonyms: SRG1, Synaptotagmin 12, Synaptotagmin XII, Synaptotagmin-12, Syt12,

SYT12\_HUMAN, SytXII.

Background: This gene is a member of the synaptotagmin gene family and encodes a protein similar to other family members that mediate calcium-dependent regulation of membrane trafficking in synaptic transmission. Studies of the orthologous gene in rat have shown that the encoded protein selectively modulates spontaneous synaptic-vesicle exocytosis and may also be involved in regulating calcium independent secretion in nonneuronal cells. Alternative splicing results in multiple transcript variants. The gene has previously been referred to as synaptotagmin XI but has been renamed synaptotagmin XII to be standard with mouse and rat official nomenclature.

#### **Application Details**

**Application Notes:** 

WB 1:300-5000

IHC-P 1:200-400

IHC-F 1:100-500

Restrictions:

For Research Use only

#### Handling

Format:

Liquid

Concentration:

 $1 \mu g/\mu L$ 

Buffer:

Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and

50 % Glycerol.

Preservative:

ProClin

Precaution of Use:

This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

handled by trained staff only.

Storage:

-20 °C

Storage Comment:

Store at -20°C for 12 months.

Expiry Date:

12 months