

[Go to Product page](#)

Datasheet for ABIN1391137

anti-ZNF318 antibody (AA 1077-1125) (Biotin)

Overview

Quantity:	100 µL
Target:	ZNF318 (Znf318)
Binding Specificity:	AA 1077-1125
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF318 antibody is conjugated to Biotin
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ZNF318
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	ZNF318 (Znf318)
Alternative Name:	ZNF318 (Znf318 Products)

Target Details

Background:	<p>Synonyms: Endocrine Regulatory Protein, HGNC13578, HRIHFB2436, ZFP318, Zinc Finger Protein 318, ZN318_HUMAN.</p> <p>Background: ZNF318 is a 2279 amino acid endocrine regulatory protein that localizes to the nucleus. Highly expressed in testis, ovaries and kidneys, ZNF318 is a co-repressor of androgen receptor (AR)-mediated transcriptional activation and is thought to regulate transcription during spermatogenesis. ZNF318 interacts with the N-terminal domain of AR and contains two matrix-type zinc fingers. Two isoforms of ZNF318, designated TZF and TZF-L, are produced due to alternative splicing events. Each of these splice variants are thought to have unique roles in transcriptional regulation. While the TZF isoform functions as a repressor of AR-mediated transcriptional activation, the TZF-L isoform is thought to enhance AR-mediated transcriptional activation.</p>
Gene ID:	24149
Pathways:	SARS-CoV-2 Protein Interactome

Application Details

Application Notes:	WB 1:300-5000 IHC-P 1:200-400 IHC-F 1:100-500
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months