antibodies .- online.com





Datasheet for ABIN1391146

anti-CPT1C antibody (AA 121-170) (Alexa Fluor 488)



()	11/	NI	/1/	≥W
	/ // 	۰۱ ا	// I E	- ¹ \/ \/

Quantity:	100 μL	
Target:	CPT1C	
Binding Specificity:	AA 121-170	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CPT1C antibody is conjugated to Alexa Fluor 488	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Cpt1c
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Pig,Horse
Purification:	Purified by Protein A.

Target Details

Target:	CPT1C	
Alternative Name:	Cpt1c (CPT1C Products)	
Background:	Synonyms: CPT1-C, Carnitine acyltransferase like protein 1, Carnitine acyltransferase like	

protein1, Carnitine O palmitoyltransferase I, brain isoform, Carnitine palmitoyltransferase 1,
brain, Carnitine palmitoyltransferase 1C, Carnitine palmitoyltransferase I related C, Carnitine
palmitoyltransferase1C, CAT L1, CATL 1, CATL1, CPT 1 like pseudogene, Cpt 1c, CPT 1P, CPT I
C, Cpt1 c, CPT1 like pseudogene, CPT1P , CPTIC.CPT1C_HUMAN
Background: The Cpt1 family of proteins are outer mitochondrial membrane proteins that
regulate the entry into, and oxidation of fatty acids by, mitochondria. Malonyl-CoA, an
intermediate in fatty acid synthesis, has been implicated as a regulatory component of the
energy sensing system that feeds into hypothalmic neurons to impart energy homeostasis.
Malonyl-CoA levels in the hypothalamus are dynamically regulated by fasting and feeding,
altering subsequent feeding behaviour. Cpt1c, the brain-specific carnitine O-
palmitoyltransferase 1, is thought to relay information about malonyl-CoA levels in
hypothalamic neurons that express orexigenic and anorexigenic neuropeptides that regulate
food intake and peripheral energy expenditure. Unlike other Cpt1 proteins, Cpt1c binds Malonyl-
CoA but does not catalyse the transfer of the malonyl group from CoA to carnitine.

Gene ID:	126129
Pathways:	AMPK Signaling, Monocarboxylic Acid Catabolic Process

Application Details

Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200

For Research Use only

Handling

Restrictions:

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months