

[Go to Product page](#)

Datasheet for ABIN1391233
anti-NPSR1 antibody (AA 201-300) (Biotin)

Overview

Quantity:	100 µL
Target:	NPSR1
Binding Specificity:	AA 201-300
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NPSR1 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human NPSR1
Isotype:	IgG
Predicted Reactivity:	Human, Mouse, Rat, Dog, Cow, Sheep, Pig, Horse
Purification:	Purified by Protein A.

Target Details

Target:	NPSR1
Alternative Name:	NPSR1/GPR154 (NPSR1 Products)
Background:	Synonyms: ASRT2, G protein coupled receptor 154, G protein coupled receptor for asthma

Target Details

susceptibility, G protein coupled receptor PGR14, GPR 154, gpr154, GPRA, MVTR, Neuropeptide S receptor 1, Neuropeptide S receptor, nps receptor, NPSR 1, NPSR, NPSR1, PGR 14, PGR14, PGR-14, Vasopressin receptor related receptor 1, VRR 1, VRR1, NPSR1_HUMAN.

Background: G protein-coupled receptors (GPRs), also known as seven transmembrane receptors, heptahelical receptors or 7TM receptors, comprise a superfamily of proteins that play a role in many different stimulus-response pathways. G protein coupled receptors translate extracellular signals into intracellular signals (G protein activation) and they respond to a variety of signaling molecules, such as hormones and neurotransmitters. GPR154 (G-protein coupled receptor 154), also known as NPSR1 (neuropeptide S receptor), GPRA (G-protein coupled receptor for asthma susceptibility) or PGR14, is a 371 amino acid protein that is thought to play a role in autocrine or paracrine signaling pathways. Ubiquitously expressed, GPR154 exists as nine alternatively spliced isoforms. Defects in the gene encoding GPR154 is the cause of asthma-related traits type 2 (ASRT2).

Gene ID: 387129

UniProt: [Q6W5P4](#)

Application Details

Application Notes: WB 1:300-5000
IHC-P 1:200-400
IHC-F 1:100-500

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C for 12 months.

Handling

Expiry Date: 12 months