# antibodies -online.com





# anti-Advillin antibody (AA 151-250) (Alexa Fluor 555)



Go to Product page

( )	11/0	K\ /	iew	1
	$\cup$	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	Advillin (AVIL)
Binding Specificity:	AA 151-250
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Advillin antibody is conjugated to Alexa Fluor 555
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human Advillin
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

## **Target Details**

Target:	Advillin (AVIL)
Alternative Name:	Advillin (AVIL Products)

## **Target Details**

Background:	Synonyms: Actin binding protein DOC 6, Actin binding protein DOC6, Advil, Advillin, AVIL,	
	AVIL_HUMAN, DOC 6, DOC6, p92.	
	Background: Advillin is an 819 amino acid protein that localizes to both the cytoplasm and the	
	cytoskeleton and contains one HP domain and six gelsolin-like repeats. Expressed at high levels	
	in colon and small intestine and at lower levels in uterus, thymus, testis and prostate, advillin	
	functions as a calcium-regulated Actin-binding protein that may be involved in the development	
	of neuronal cells, specifically those that form ganglia. The gene encoding advillin maps to	
	human chromosome 12, which encodes over 1,100 genes and comprises approximately 4.5 $\%$	
	of the human genome. Chromosome 12 is associated with a variety of diseases and afflictions,	
	including hypochondrogenesis, achondrogenesis, Kniest dysplasia, Noonan syndrome and	
	Trisomy 12p, which causes facial developmental defects and seizure disorders.	
Gene ID:	3316	
Pathways:	Regulation of Actin Filament Polymerization	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	