antibodies -online.com







anti-Advillin antibody (AA 151-250) (Biotin)



()	11/	IN	/ie	A .
	/ // 	۱ ات	/ (−	' \/\/

Quantity:	100 μL
Target:	Advillin (AVIL)
Binding Specificity:	AA 151-250
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Advillin antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Advillin	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Rat,Dog,Cow,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	Advillin (AVIL)
Alternative Name:	Advillin (AVIL Products)

Target Details

Expiry Date:

rarget Details	
Background:	Synonyms: Actin binding protein DOC 6, Actin binding protein DOC6, Advil, Advillin, AVIL,
	AVIL_HUMAN, DOC 6, DOC6, p92.
	Background: Advillin is an 819 amino acid protein that localizes to both the cytoplasm and the
	cytoskeleton and contains one HP domain and six gelsolin-like repeats. Expressed at high levels
	in colon and small intestine and at lower levels in uterus, thymus, testis and prostate, advillin
	functions as a calcium-regulated Actin-binding protein that may be involved in the development
	of neuronal cells, specifically those that form ganglia. The gene encoding advillin maps to
	human chromosome 12, which encodes over 1,100 genes and comprises approximately 4.5 $\%$
	of the human genome. Chromosome 12 is associated with a variety of diseases and afflictions,
	including hypochondrogenesis, achondrogenesis, Kniest dysplasia, Noonan syndrome and
	Trisomy 12p, which causes facial developmental defects and seizure disorders.
Gene ID:	3316
Pathways:	Regulation of Actin Filament Polymerization
Application Details	
Application Notes:	WB 1:300-5000
	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.

12 months