

## Datasheet for ABIN1391354

## anti-Advillin antibody (AA 151-250) (FITC)



## Overview

Overview	
Quantity:	100 μL
Target:	Advillin (AVIL)
Binding Specificity:	AA 151-250
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Advillin antibody is conjugated to FITC
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human Advillin
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	Advillin (AVIL)
Alternative Name:	Advillin (AVIL Products)

## **Target Details**

Background:	Synonyms: Actin binding protein DOC 6, Actin binding protein DOC6, Advil, Advillin, AVIL,		
	AVIL_HUMAN, DOC 6, DOC6, p92.		
	Background: Advillin is an 819 amino acid protein that localizes to both the cytoplasm and the		
	cytoskeleton and contains one HP domain and six gelsolin-like repeats. Expressed at high levels		
	in colon and small intestine and at lower levels in uterus, thymus, testis and prostate, advillin functions as a calcium-regulated Actin-binding protein that may be involved in the development of neuronal cells, specifically those that form ganglia. The gene encoding advillin maps to human chromosome 12, which encodes over 1,100 genes and comprises approximately 4.5 % of the human genome. Chromosome 12 is associated with a variety of diseases and afflictions, including hypochondrogenesis, achondrogenesis, Kniest dysplasia, Noonan syndrome and		
		Trisomy 12p, which causes facial developmental defects and seizure disorders.	
		Gene ID:	3316
		Pathways:	Regulation of Actin Filament Polymerization
		Application Details	
		Application Notes:	IF(IHC-P) 1:50-200
		IF(IHC-F) 1:50-200	
IF(ICC) 1:50-200			
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		
Expiry Date:	12 months		