antibodies -online.com





anti-BBS9 antibody (AA 244-320) (Alexa Fluor 488)



Go to Product page

\sim			
	N/P	r\/	i⊢₩

Quantity:	100 μL
Target:	BBS9
Binding Specificity:	AA 244-320
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BBS9 antibody is conjugated to Alexa Fluor 488
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human BBS9	
Isotype:	IgG	
Cross-Reactivity:	Rat	
Predicted Reactivity:	Human,Mouse,Dog,Sheep,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	BBS9
Alternative Name:	BBS9 (BBS9 Products)

Target Details

•	
Background:	Synonyms: B1, D1, C18, PTHB1, Protein PTHB1, Bardet-Biedl syndrome 9 protein, Parathyroid
	hormone-responsive B1 gene protein, BBS9
	Background: The BBSome complex is thought to function as a coat complex required for
	sorting of specific membrane proteins to the primary cilia. The BBSome complex is required for
	ciliogenesis but is dispensable for centriolar satellite function. This ciliogenic function is
	mediated in part by the Rab8 GDP/GTP exchange factor, which localizes to the basal body and
	contacts the BBSome. Rab8(GTP) enters the primary cilium and promotes extension of the
	ciliary membrane. Firstly the BBSome associates with the ciliary membrane and binds to
	RAB3IP/Rabin8, the guanosyl exchange factor (GEF) for Rab8 and then the Rab8-GTP localizes
	to the cilium and promotes docking and fusion of carrier vesicles to the base of the ciliary
	membrane. Required for proper BBSome complex assembly and its ciliary localization.
Gene ID:	27241
UniProt:	Q3SYG4
Pathways:	Hedgehog Signaling
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

		1.	
\vdash	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months