antibodies

Datasheet for ABIN1391859 anti-CDKL5 antibody (AA 401-500) (Alexa Fluor 350)



Overview

| Quantity: | 100 µL |
|----------------------|--|
| Target: | CDKL5 |
| Binding Specificity: | AA 401-500 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This CDKL5 antibody is conjugated to Alexa Fluor 350 |
| Application: | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human CDKL5 |
|-----------------------|---|
| lsotype: | IgG |
| Predicted Reactivity: | Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Horse |
| Purification: | Purified by Protein A. |

Target Details

| Target: | CDKL5 |
|-------------------|--|
| Alternative Name: | CDKL5 (CDKL5 Products) |
| Background: | Synonyms: Cdkl5, CDKL5_HUMAN, Cyclin dependent kinase 5 transcript, Cyclin-dependent |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1391859 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

| | kinase-like 5, EIEE2, ISSX, Serine/threonine kinase 9, Serine/threonine-protein kinase 9, Stk9. |
|---------------------|---|
| | Background: Cell cycle progression is controlled in part by a family of cyclin proteins and cyclin- |
| | dependent kinases (Cdks). Cdk proteins work in concert with the cyclins to phosphorylate key |
| | substrates involved in each phase of cell cycle progression. Another family of proteins, Cdk |
| | inhibitors, also plays a role in regulating the cell cycle by binding to cyclin-Cdk complexes and |
| | modulating their activity. CDKL5 (cyclin-dependent kinase-like 5) is a 1030 amino acid protein |
| | that belongs to the CMGC Ser/Thr protein kinase family. Expressed in brain, lung, kidney, |
| | prostate, ovary, placenta, pancreas and testis, CDKL5 is thought to play a role in cell cycle |
| | regulation. Defects in CDKL5 are a cause of several disorders, such as X-linked infantile spasm |
| | syndrome and Rett syndrome. |
| Pathways: | Regulation of Cell Size |
| Application Details | |
| Application Notes: | IF(IHC-P) 1:50-200 |
| | IF(IHC-F) 1:50-200 |
| | IF(ICC) 1:50-200 |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and |
| | 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be |
| | handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |
| | |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN1391859 | 03/07/2024 | Copyright antibodies-online. All rights reserved.