antibodies -online.com





anti-EN2 antibody (AA 281-333) (Alexa Fluor 488)



Go to Product page

Overview

Quantity:	100 μL
Target:	EN2
Binding Specificity:	AA 281-333
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This EN2 antibody is conjugated to Alexa Fluor 488
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human EN2/Engrailed 2
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Dog,Sheep,Pig
Purification:	Purified by Protein A.

Target Details

Target:	EN2
Alternative Name:	EN2/Engrailed 2 (EN2 Products)

Target Details

•	
Background:	Synonyms: Homeobox protein engrailed-2, Homeobox protein en-2, Hu-En-2, EN2
	Background: The engrailed-2 gene, EN2, a murine homolog of the Drosophila homeobox gene
	engrailed (EN), is required for midbrain and cerebellum development and dorsal/ventral
	patterning of the limbs as well as apical ectodermal ridge formation. In Drosophila, the EN gene
	plays an important role during development in segmentation, where it is required for the
	formation of posterior compartments. Human EN-1 and EN-2 are homeodomain-containing
	proteins and have been implicated in the control of pattern formation during development of
	the central nervous system. Different mutations in the mouse homologs, EN-1 and EN-2,
	produce different developmental defects that frequently are lethal. EN-1 is highly expressed by
	essentially all dopaminergic neurons in the substantia nigra and ventral tegmentum. EN-1 and
	EN-2 regulate expression of a-synuclein, a gene that is genetically linked to Parkinson?s
	disease. During early brain development mouse EN-2 is expressed in a broad band across most
	of the mid-hindbrain region. EN-2 is also expressed in mouse myoblasts and has been
	assiciated with cerebellar hypoplasia.
Gene ID:	2020
UniProt:	P19622
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months