antibodies -online.com





anti-GNAT2 antibody (AA 2-100) (Alexa Fluor 555)



Go to Product page

| \sim | | | |
|--------|-----|-----|-----|
| | N/P | r\/ | i⊢₩ |

| Quantity: | 100 μL |
|----------------------|---|
| Target: | GNAT2 |
| Binding Specificity: | AA 2-100 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This GNAT2 antibody is conjugated to Alexa Fluor 555 |
| Application: | Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human GNAT2 |
|-----------------------|---|
| Isotype: | IgG |
| Predicted Reactivity: | Human,Mouse,Rat,Dog,Cow,Pig,Horse,Chicken |
| Purification: | Purified by Protein A. |

Target Details

| Target: | GNAT2 |
|---|------------------------|
| Alternative Name: | GNAT2 (GNAT2 Products) |
| Background: Synonyms: ACHM4, Cone type transducin alpha subunit, GNAT 2, GNAT C, Gnat2, | |

GNAT2_HUMAN, GNATC, Guanine nucleotide binding protein G protein alpha transducing, polypeptide 2, Guanine nucleotide binding protein G t subunit alpha 2, Guanine nucleotide-binding protein Gt subunit alpha-2, Transducin alpha-2, Transducin alpha-2 chain, Transducin alpha-2, Transducin cone specic alpha polypeptide.

Background: Transducin is a 3-subunit guanine nucleotide-binding protein (G protein) which stimulates the coupling of rhodopsin and cGMP-phoshodiesterase during visual impulses. The transducin alpha subunits in rods and cones are encoded by separate genes. This gene encodes the alpha subunit in cones.

Pathways:

G-protein mediated Events, Phototransduction

For Research Use only

Application Details

| Application Notes: | IF(IHC-P) 1:50-200 |
|--------------------|--------------------|
| | IF(IHC-F) 1:50-200 |
| | IF(ICC) 1:50-200 |
| | |

Handling

Restrictions:

| Format: | Liquid |
|--------------------|--|
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |