antibodies -online.com







anti-NR2E3 antibody (AA 1-100) (Alexa Fluor 488)



\sim	
()\/△	rview
\cup	1 410 44

Quantity:	100 μL
Target:	NR2E3
Binding Specificity:	AA 1-100
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NR2E3 antibody is conjugated to Alexa Fluor 488
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human NR2E3
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Cow,Sheep
Purification:	Purified by Protein A.

Target Details

Target:	NR2E3
Alternative Name:	NR2E3 (NR2E3 Products)
Background:	Synonyms: ESCS, ESCS, NR2 E3, Nr2e3, NR2E3_HUMAN, Nuclear receptor subfamily 2 group E

member 3, Photoreceptor specic nuclear receptor, Photoreceptor-specic nuclear receptor antibody PNR, Rd 7, rd7, Retina specic nuclear receptor, Retina-specic nuclear receptor, Retinal degeneration 7, Retinal degeneration 7, RNR, RP37.

Background: Photoreceptor-specific nuclear receptor, also known as NR2E3 or PNR, belongs to a large family of nuclear hormone receptor transcription factors. The proteins belonging to this family are characterized by discrete domains functioning in DNA and ligand binding. NR2E3 has a role in regulating the signaling pathway elemental to the photoreceptor cell function and in regulating pathways involved in embryonic development. NR2E3 is an eye specific nuclear protein found in the outer nuclear layer of the adult retina (where the nuclei of cone and rod photoreceptors are located). Defects in this gene encoding for the protein, which localizes to chromosome 15q22.32, cause enhanced S cone syndrome.

Pathways:

Nuclear Receptor Transcription Pathway, Steroid Hormone Mediated Signaling Pathway

Application Details

Application Notes: IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months