



[Go to Product page](#)

Datasheet for ABIN1392114

anti-GPRC5A antibody (AA 1-33) (Alexa Fluor 647)

Overview

Quantity:	100 µL
Target:	GPRC5A
Binding Specificity:	AA 1-33
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GPRC5A antibody is conjugated to Alexa Fluor 647
Application:	Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human RAI3
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Purified by Protein A.

Target Details

Target:	GPRC5A
Alternative Name:	RAI3 (GPRC5A Products)
Background:	Synonyms: G protein coupled receptor family C group 5 member A, G-protein coupled receptor

Target Details

family C group 5 member A, GPCR 5A, GPCR5A, Gprc 5a, Gprc5a, Orphan G protein coupling receptor PEIG 1, Orphan G protein coupling receptor PEIG1, Orphan G-protein-coupling receptor PEIG-1, RAI 3, RAI3_HUMAN, Raig 1, RAIG-1, Raig1, Retinoic acid induced 3, Retinoic acid induced gene 1 protein, Retinoic acid induced protein 3, Retinoic acid responsive, Retinoic acid responsive gene, Retinoic acid-induced gene 1 protein, Retinoic acid-induced protein 3.

Background: RAI3 is a transmembrane G-protein-coupled receptor that affects many essential biological processes including embryogenesis, cell growth, differentiation, and apoptosis. RAI3 may also be involved in maintaining homeostasis of epithelial cells. Retinoic acid receptors directly regulate RAI3 during its transcription in embryonal carcinoma differentiation. RAI3 expression is upregulated in most tumor cell lines that express mutant p53, suggesting that p53 interacts with the promoter of RAI3 and represses its expression at the beginning of apoptosis. RAI3 is a potential molecular target for diagnosing breast cancer, and selective suppression of signals from RAI3 may have a place in breast cancer treatments.

Application Details

Application Notes: FCM 1:20-100
IF(IHC-P) 1:50-200
IF(IHC-F) 1:50-200
IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date: 12 months