antibodies -online.com





anti-SOX8 antibody (AA 101-200) (Biotin)



Overview

| Quantity: | 100 μL | |
|----------------------|---|--|
| Target: | SOX8 | |
| Binding Specificity: | AA 101-200 | |
| Reactivity: | Mouse | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This SOX8 antibody is conjugated to Biotin | |
| Application: | Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)) | |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human SOX8 |
|-----------------------|--|
| Isotype: | IgG |
| Cross-Reactivity: | Mouse |
| Predicted Reactivity: | Human,Rat,Cow,Horse |
| Purification: | Purified by Protein A. |
| | |

Target Details

| Target: | SOX8 |
|-------------------|----------------------|
| Alternative Name: | SOX8 (SOX8 Products) |

Target Details

| Bac | kar | Oι | ın | d: |
|-----|-----|----|----|----|
| | | | | |

Synonyms: SOX 8, Sox8, SOX8_HUMAN, SRY sex determining region Y box 8, SRY box 8, SRY box containing gene 8, Transcription factor SOX 8, Transcription factor SOX-8, Transcription factor SOX8.

Background: Sox genes comprise a family of genes that are related to the mammalian sex determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. Sox genes encode putative transcriptional regulators implicated in the decision of cell fates during development and the control of diverse developmental processes. The highly complex group of Sox genes cluster at least 40 different loci that rapidly diverged in various animal lineages. At present, 30 Sox genes have been identified. Members of this family have been shown to be conserved during evolution and to play key roles during animal development. Some are involved in human diseases, including sex reversal.

Pathways:

Regulation of Muscle Cell Differentiation, Tube Formation, Skeletal Muscle Fiber Development

Application Details

Application Notes:

WB 1:300-5000

IHC-P 1:200-400

IHC-F 1:100-500

Restrictions:

For Research Use only

Handling

| Format: | Liquid |
|--------------------|--|
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C for 12 months. |
| Expiry Date: | 12 months |