# antibodies .- online.com





# anti-TMEM59L antibody (AA 251-342) (Alexa Fluor 488)



Go to Product page

| ( ) | ۱ ۱ | $\cap$ | r  | /1 | $\cap$ | ۱ ۸ | 1 |
|-----|-----|--------|----|----|--------|-----|---|
| 0   | 'V  | ㄷ      | ı١ | νı | $\Box$ | V   | ۷ |

| Quantity:            | 100 μL   |  |
|----------------------|--|--|
| Target:              | TMEM59L  |  |
| Binding Specificity: | AA 251-342   |  |
| Reactivity:          | Human  |  |
| Host:                | Rabbit   |  |
| Clonality:           | Polyclonal   |  |
| Conjugate:           | This TMEM59L antibody is conjugated to Alexa Fluor 488   |  |
| Application:         | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |  |

### Product Details

| Immunogen:            | KLH conjugated synthetic peptide derived from human TMEM59L/BSMAP |  |
|-----------------------|---|--|
| Isotype:              | IgG   |  |
| Cross-Reactivity:     | Human   |  |
| Predicted Reactivity: | Mouse,Rat,Dog,Cow,Sheep,Pig,Horse                                 |  |
| Purification:         | Purified by Protein A.  |  |

## **Target Details**

| Target:           | TMEM59L                          |  |
|-------------------|----------------------------------|--|
| Alternative Name: | TMEM59L/BSMAP (TMEM59L Products) |  |

#### Target Details

| Background: |
|-------------|
|-------------|

Synonyms: BSMAP, Brain-specic membrane-anchored protein, C19orf4, TM59L\_HUMAN, Tmem59l, Transmembrane protein 59-like.

Background: BSMAP is a 342 amino acid type-I membrane glycoprotein that localizes to organelle membranes and belongs to the TMEM59 family. Expressed at high levels in brain tissue, BSMAP is thought to play a role in brain function and central nervous system activity. The gene encoding BSMAP maps to human chromosome 19, which consists of over 63 million bases, houses approximately 1,400 genes and is recognized for having the greatest gene density of the human chromosomes. It is the genetic home for a number of immunoglobulin (Ig) superfamily members, including the killer cell and leukocyte Ig-like receptors, a number of ICAMs, the CEACAM and PSG family and Fc receptors (FcRs).

#### **Application Details**

Application Notes:

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

#### Handling

| Format:            | Liquid   |
|--------------------|--|
| Concentration:     | 1 μg/μL  |
| Buffer:            | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.         |
| Preservative:      | ProClin  |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage:           | -20 °C   |
| Storage Comment:   | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.                                  |
| Expiry Date:       | 12 months  |