Datasheet for ABIN1392536 anti-APBA2 antibody (AA 351-450) (FITC)

antibodies.com



Overview

Quantity:	100 µL
Target:	APBA2
Binding Specificity:	AA 351-450
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This APBA2 antibody is conjugated to FITC
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human APBA2
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Sheep,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

## Target Details

Target:	APBA2
Alternative Name:	APBA2 (APBA2 Products)
Background:	Synonyms: Adapter protein X11beta, Amyloid beta A4 precursor protein-binding family A

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1392536 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

member 2, APBA2, APBA2_HUMAN, D15S1518E, HsT16821, LIN 10, N	√int 2, Mint-2, Neuron-
specic X11L protein, Neuronal Munc18-1-interacting protein 2, Phosp	hotyrosine
binding/interacting domain PTB bearing protein, X11 beta, X11I.	
Background: The Beta-Amyloid precursor protein (Beta-APP) is a majo	or constituent of the
amyloid deposits in patients with Alzheimer?s disease. The Beta-Amy	loid precursor is known to
interact with several proteins, including X11 and the G heterotrimetric	protein APP-BP1. The
neuronal, transmembrane protein X11 is known to bind to the -Amylo	id precursor protein via a
phosphotyrosine binding (PTB) domain, reducing the secretion of cell	ular Beta-APP and slowing
Beta-APP processing pathways. X11 binds specifically to the YENPTY	' motif, which is involved
in the internalization of Beta-APP. Multiple splice varitents of X11 have	e been identified, including
X11 Alpha (also designated Mint 1), X11 Beta (Mint 2) and X11 Gamm	1a(Mint 3).

Pathways:

Synaptic Vesicle Exocytosis

## Application Details

Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 µg/µL	
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	