antibodies -online.com





Datasheet for ABIN1392763

anti-FIG4 antibody (AA 1-100) (Biotin)



\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL
Target:	FIG4
Binding Specificity:	AA 1-100
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FIG4 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FIG4	
Isotype:	IgG	
Cross-Reactivity:	Rat	
Predicted Reactivity:	Human, Mouse, Dog, Sheep, Pig, Chicken, Monkey	
Purification:	Purified by Protein A.	

Target Details

Target:	FIG4
Alternative Name:	FIG4/SAC3 (FIG4 Products)

Target Details

Background

Synonyms: 5-bisphosphate 5-phosphatase, Fig4, FIG4_HUMAN, KIAA0274, ALS11, Phosphatidylinositol 3, hSac3, Phosphatidylinositol 3,5 bisphosphate 5 phosphatase, Polyphosphoinositide phosphatase, SAC domain containing protein 3, SAC domain-containing protein 3, SAC3.

Background: FIG4 is a 907 amino acid protein that contains one SAC domain through which it is thought to function as a phosphoinositide phosphatase that may play an important role in signal transduction and vesicle trafficking. Defects in the gene encoding FIG4 are the cause of Charcot-Marie-Tooth disease type 4J (CMT4J) and amyotrophic lateral sclerosis type 11 (ALS11), both of which negatively affect the nervous system. CMT4J is a recessive demyelinating disorder of the peripheral nervous system and is characterized by reduced motor nerve conduction velocities and axonal degeneration. Unlike CMT4J, ALS11 is characterized by the degeneration of upper motor neurons in the brain and lower neurons in the spinal cord, causing paralysis and, ultimately, death.

Pathways:

Inositol Metabolic Process

Application Details

Application Notes:

WB 1:300-5000

IHC-P 1:200-400

IHC-F 1:100-500

Restrictions:

For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months