antibodies -online.com





anti-CTRP5 antibody (AA 191-243) (Alexa Fluor 488)



Go to Product page

\sim			
	N/P	r\/	i⊢₩

Quantity:	100 μL	
Target:	CTRP5 (C1QTNF5)	
Binding Specificity:	AA 191-243	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CTRP5 antibody is conjugated to Alexa Fluor 488	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CTRP5	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Rat,Dog,Cow,Pig,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	CTRP5 (C1QTNF5)
Alternative Name:	CTRP5 (C1QTNF5 Products)

Target Details

Background:	Synonyms: C1q and tumor necrosis factor related protein 5, C1QTNF5, Complement C1q tumor	
	necrosis factor related protein 5 precursor, LORD, C1QT5_HUMAN.	
	Background: Members of the C1q superfamily have diverse functions that are related to cell	
	adhesion and basement membrane components. CTRP5 (Complement C1q tumor necrosis	
	factor-related protein 5) is a 243 amino acid secreted and membrane-associated protein that	
	contains a collagen-like domain and a C1q domain. CTRP5 is a short-chain collagen that is	
	expressed in retinal pigment epithelium as well as brain, lung, liver and placenta. By forming an	
	extracellular hexagonal lattice, CTRP5 facilitates the adhesion of basal retinal pigment	
	epithelium to Bruch?s membrane, the innermost layer of the choroid. A mutation within the C1q	
	domain of CTRP5 results in abnormal high molecular weight aggregate formation, which alters	
	its structure and interactions. This mutation may result in the presentation of late-onset retinal	
	degeneration (LORD), an autosomal dominant disorder that is characterized by punctate yellow-	
	white deposits in the retinal fundus and night blindness.	
Gene ID:	114902	
UniProt:	Q9BXJ0	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	

\vdash	land	lına
1	iariu	my

Expiry Date:

12 months