Datasheet for ABIN1393033 anti-NMNAT1 antibody (AA 201-279) (Biotin)

-online.com antibodies



\sim						
()	\/	Δ	r١	/1	Δ	W
\cup	v	C	1	v i	C	vv

Quantity:	100 µL
Target:	NMNAT1
Binding Specificity:	AA 201-279
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NMNAT1 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Nmnat1
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Chicken,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	NMNAT1
Alternative Name:	Nmnat1 (NMNAT1 Products)
Background:	Synonyms: NaMN adenylyltransferase 1, Nicotinamide mononucleotide adenylyltransferase 1,

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1393033 | 03/08/2024 | Copyright antibodies-online. All rights reserved. nicotinamide nucleotide adenylyltransferase 1, nicotinate nucleotide adenylyltransferase 1, Nicotinate-nucleotide adenylyltransferase 1, NMN adenylyltransferase 1, NMNA1_HUMAN, Nmnat 1, Nmnat1, Nmnat-1, OTTHUMP0000001731, OTTHUMP00000001732, OTTHUMP00000035892, PNAT 1, PNAT1, pyridine nucleotide adenylyltransferase 1. Background: Nicotinamide adenine dinucleotide (NMNAT) is an essential cofactor involved in fundamental processes in cell metabolism. NMNAT plays a key role in NAD(+) biosynthesis, catalysing the condensation of nicotinamide mononucleotide and ATP, and yielding NAD(+) and pyrophosphate. NMNAT appears to be a substrate of nuclear kinases and contains at least three potential phosphorylation sites. The interaction of NMNAT with nuclear proteins is likely to be modulated by phosphorylation. NMNAT is widely expressed with highest levels in skeletal muscle, heart, liver and kidney.

Application Details

Application Notes:	WB 1:300-5000	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C for 12 months.	
Expiry Date:	12 months	