antibodies -online.com





anti-SGSH antibody (AA 301-388) (Alexa Fluor 555)



Go to Product page

()	11/0	K\ /	iew	1
	\cup	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL	
Target:	SGSH	
Binding Specificity:	AA 301-388	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SGSH antibody is conjugated to Alexa Fluor 555	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Sulphamidase	
Isotype:	IgG	
Cross-Reactivity:	Rat	
Predicted Reactivity:	Human,Mouse,Dog	
Purification:	Purified by Protein A.	

Target Details

Target:	SGSH
Alternative Name:	SGSH/Sulphamidase (SGSH Products)

Target Details

Background:	Synonyms: HSS, SFMD, MPS3A, N-sulphoglucosamine sulphohydrolase, Sulfoglucosamine		
	sulfamidase, Sulphamidase, SGSH		
	Background: Sulfatases are enzymes that hydrolyse a diverse range of sulfate esters.		
	Deficiency of lysosomal sulfatases leads to human diseases characterized by the accumulation		
	of either GAGs (glycosaminoglycans) or sulfolipids. Sulfamidase, also known as HSS, SFMD,		
	MPS3A or SGSH, is a 502 amino acid lysosome that belongs to the sulfatase family. It has been		
	suggested that sulfamidase may be involved in the lysosomal degradation of heparan sulfate.		
	Defects in the gene encoding sulfamidase are the cause of Sanfilippo syndrome A, an		
	autosomal recessive lysosomal storage disease caused by impaired degradation of heparan		
	sulfate. Sanfilippo syndrome A is characterized by severe central nervous system degeneration		
	but relatively mild somatic manifestations.		
Gene ID:	6448		
UniProt:	P51688		
Pathways:	Glycosaminoglycan Metabolic Process		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
	-20 °C		
Storage:	-20 G		

\vdash	land	lına
	iaria	шц

Expiry Date:

12 months