antibodies -online.com





anti-CHURC1 antibody (AA 11-112) (Alexa Fluor 555)



Go to Product page

| () | 1/0 | r\ /1 | 014 | |
|-----|-----|-------|-----|---|
| () | ve | I V I | -v | V |
| | | | | |

| Quantity: | 100 μL | |
|----------------------|--|--|
| Target: | CHURC1 | |
| Binding Specificity: | AA 11-112 | |
| Reactivity: | Human | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This CHURC1 antibody is conjugated to Alexa Fluor 555 | |
| Application: | Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc)) | |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human CHURC1 | |
|-----------------------|--|--|
| Isotype: | IgG | |
| Predicted Reactivity: | Human,Dog,Cow,Sheep,Horse,Rabbit | |
| Purification: | Purified by Protein A. | |

Target Details

| Target: | CHURC1 | |
|-------------------|--|--|
| Alternative Name: | CHURC1 (CHURC1 Products) | |
| Background: | Synonyms: CHURC-1, C14orf52, CHCH, CHURC 1, Churchill domain containing 1, FLJ33064, | |

My015, Protein Churchill, CHUR_HUMAN.

Background: CHURC1 is a 112 amino acid protein that plays a critical role in neural induction during embryogenesis. The fibroblast growth family of proteins (FGFs) has been identified as necessary factors in mesoderm formation and neural induction. CHURC1, a putative zinc finger protein, is a transcriptional activator that mediates FGF signaling. Furthermore, CHURC1 is thought to play a role in the regulation of cell movement. Although CHURC1 does not bind to DNA, it functions as a transcriptional regulator and a protein-interaction factor. Two isoforms of CHURC1 exist as a result of alternative splicing events.

Application Details

| Application Notes: | IF(IHC-P) 1:50-200 |
|--------------------|--------------------|
| | IF(IHC-F) 1:50-200 |
| | IF(ICC) 1:50-200 |

Restrictions: For Research Use only

Handling

| Format: | Liquid |
|--------------------|--|
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |