antibodies .- online.com





anti-GPR88 antibody (AA 64-170) (FITC)



| () | ve | K\ / | | |
|-----|--------|------|----|----|
| | \cup | 1 V/ | Щ. | V۷ |
| | | | | |

| Quantity: | 100 μL |
|----------------------|--|
| Target: | GPR88 |
| Binding Specificity: | AA 64-170 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This GPR88 antibody is conjugated to FITC |
| Application: | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human G protein coupled receptor 88 |
|-----------------------|---|
| Isotype: | IgG |
| Predicted Reactivity: | Human,Mouse,Rat,Dog,Cow,Rabbit |
| Purification: | Purified by Protein A. |

Target Details

| Target: | GPR88 |
|--|------------------------|
| Alternative Name: | GPR88 (GPR88 Products) |
| Background: Synonyms: G protein coupled receptor 88, G protein-coupled receptor 88, G-protein coup | |

receptor 88, Probable G protein coupled receptor 88, STRG, Striatum specic G protein coupled receptor, GPR88_HUMAN, GPCR88.

Background: G protein-coupled receptors (GPRs), also known as seven transmembrane receptors, heptahelical receptors or 7TM receptors, comprise a superfamily of proteins that play a role in many different stimulus-response pathways. G protein coupled receptors translate extracellular signals into intracellular signals (G protein activation) and they respond to a variety of signaling molecules, such as hormones and neurotransmitters. GPR88 (G protein-coupled receptor 88), also known as STRG, is a 384 amino acid multi-pass membrane protein that localizes to the cell membrane and belongs to the G protein coupled receptor family. Expressed exclusively in striatum, GPR88 functions as an orphan receptor that may be involved in signaling pathways throughout the cell. Human GPR88 shares 95 % sequence identity with its rat counterpart, suggesting a conserved role between species.

Application Details

| Application Notes: | IF(IHC-P) 1:50-200 |
|--------------------|-----------------------|
| | IF(IHC-F) 1:50-200 |
| | IF(ICC) 1:50-200 |
| Restrictions: | For Research Use only |

Handling

| Format: | Liquid |
|--------------------|--|
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |