antibodies.com

## Datasheet for ABIN1395439 anti-ZIC5 antibody (AA 501-600) (Biotin)



| Overview             |  |
|----------------------|--|
| Quantity:            | 100 μL   |
| Target:              | ZIC5   |
| Binding Specificity: | AA 501-600   |
| Reactivity:          | Human  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This ZIC5 antibody is conjugated to Biotin   |
| Application:         | ELISA, Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)),<br>Immunohistochemistry (Frozen Sections) (IHC (fro)) |

## **Product Details**

| Immunogen:            | KLH conjugated synthetic peptide derived from human ZIC5 |
|-----------------------|--|
| Isotype:              | lgG  |
| Predicted Reactivity: | Human,Mouse,Rat,Dog,Cow,Sheep,Horse                      |
| Purification:         | Purified by Protein A.                                   |
|                       |  |

## Target Details

| Target:           | ZIC5  |
|-------------------|---|
| Alternative Name: | ZIC5 (ZIC5 Products)  |
| Background:       | Synonyms: zic5, ZIC5_HUMAN, Zinc finger protein of the cerebellum 5, Zinc finger protein ZIC 5. |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1395439 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

| Target Details      |  |
|---------------------|--|
|                     | Background: Zic5 (zinc finger protein of the cerebellum 5) is a C2H2 zinc finger transcription<br>factor that influences development of the neural crest. Zic family members are abundant in<br>developing and adult cerebellum. Zic family members are important during development, and<br>have been associated with X-linked visceral heterotaxy and holoprosencephaly type 5. Zic5 is<br>closely linked to Zic2, a related family member on chromosome 13. |
| Pathways:           | Tube Formation   |
| Application Details |  |
| Application Notes:  | WB 1:300-5000<br>IHC-P 1:200-400<br>IHC-F 1:100-500  |
| Restrictions:       | For Research Use only  |
| Handling            |  |
| Format:             | Liquid   |
| Concentration:      | 1 μg/μL  |
| Buffer:             | Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.  |
| Preservative:       | ProClin  |
| Precaution of Use:  | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.   |
| Storage:            | -20 °C   |
| Storage Comment:    | Store at -20°C for 12 months.  |
| Expiry Date:        | 12 months  |