# antibodies -online.com





# anti-Taxilin beta antibody (AA 331-430) (Alexa Fluor 488)



Go to Product page

$\sim$					
	1/6	⊃r	\/I	$\triangle$	٨/

Quantity:	100 μL	
Target:	Taxilin beta (TXLNB)	
Binding Specificity:	AA 331-430	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Taxilin beta antibody is conjugated to Alexa Fluor 488	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Western Blotting (WB)	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human TXLNB	
Isotype:	IgG	
Specificity:	This may have some cross-reactivity with TXLNA and TXLNG.	
Cross-Reactivity:	Human, Mouse, Rat	
Predicted Reactivity:	Dog,Cow,Sheep,Pig,Horse	
Purification:	Purified by Protein A.	

### **Target Details**

Target: Taxilin beta (TXLNB)

## **Target Details**

Alternative Name:	TXLNB (TXLNB Products)	
Background:	Synonyms: MDP77, LST001, C6orf198, dJ522B19.2, Beta-taxilin, Muscle-derived protein 77,	
	hMDP77, TXLNB	
	Background: Beta-taxilin promotes nerve regeneration and may be involved in intracellular	
	vesicle transport. Expressed predominantly in cardiac and skeletal muscle, beta-taxilin binds to	
	the coiled coil region of the syntaxin family members STX1A, STX3A, and STX4A. Beta- and	
	gamma-taxilins, bind to the alpha subunit of the nascent polypeptide-associated complex	
	(NAC) and affect its nuclear distribution, suggesting that the taxilin family is involved not only in	
	the translational process through its interaction with NAC but also in the transcriptional process	
	through its interaction with alphaNAC alone.	
Gene ID:	167838	
UniProt:	Q8N3L3	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	