antibodies .- online.com





anti-Taxilin beta antibody (AA 331-430) (Alexa Fluor 555)



Go to Product page

\sim			
	N/P	r\/	i⊢₩

Quantity:	100 μL	
Target:	Taxilin beta (TXLNB)	
Binding Specificity:	AA 331-430	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Taxilin beta antibody is conjugated to Alexa Fluor 555	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Western Blotting (WB)	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human TXLNB
Isotype:	IgG
Specificity:	This may have some cross-reactivity with TXLNA and TXLNG.
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Sheep,Pig,Horse
Purification:	Purified by Protein A.

Target Details

Target:	Taxilin beta (TXLNB)	

Target Details

rarger betaile			
Alternative Name:	TXLNB (TXLNB Products)		
Background:	Synonyms: MDP77, LST001, C6orf198, dJ522B19.2, Beta-taxilin, Muscle-derived protein 77,		
	hMDP77, TXLNB		
	Background: Beta-taxilin promotes nerve regeneration and may be involved in intracellular		
	vesicle transport. Expressed predominantly in cardiac and skeletal muscle, beta-taxilin binds to		
	the coiled coil region of the syntaxin family members STX1A, STX3A, and STX4A. Beta- and		
	gamma-taxilins, bind to the alpha subunit of the nascent polypeptide-associated complex		
	(NAC) and affect its nuclear distribution, suggesting that the taxilin family is involved not only in		
	the translational process through its interaction with NAC but also in the transcriptional process		
	through its interaction with alphaNAC alone.		
Gene ID:	167838		
UniProt:	Q8N3L3		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		
Expiry Date:	12 months		