antibodies -online.com







anti-HOXC4 antibody (AA 181-264) (Biotin)



| () | 1/0 | r\ /1 | 014 | |
|-----|-----|-------|-----|---|
| () | ve | I V I | -v | V |
| | | | | |

| Quantity: | 100 μL |
|----------------------|---|
| Target: | HOXC4 |
| Binding Specificity: | AA 181-264 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This HOXC4 antibody is conjugated to Biotin |
| Application: | Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human HOXC4 |
|-----------------------|--|
| Isotype: | IgG |
| Predicted Reactivity: | Human, Mouse, Rat, Dog, Cow, Sheep, Horse, Rabbit, Zebrafish |
| Purification: | Purified by Protein A. |

Target Details

| Target: | HOXC4 |
|-------------------|--|
| Alternative Name: | HOXC4 (HOXC4 Products) |
| Background: | Synonyms: CP 19, CP19, Homeo box 3E, Homeo box C4, Homeo box protein HoxC4, Homeobox |

Hox-3E, Homeobox protein Hox-C4, Homeobox protein HoxC4, Homeobox3E, HomeoboxC4, HOX 3, Hox 3E, HOX C4, HOX3, Hox3E, HOXC 4, Hoxc4, HXC4_HUMAN.

Background: Homeobox (HOX) genes, which share a highly conserved 183-bp sequence, encode proteins capable of binding to specific DNA sequences and functioning as transcription factors. During embryogenesis, HOX genes play a critical role in the spatial and temporal differentiation of cells. HoxC4, a sequence-specific transcription factor, belongs to the Antp HOX family and localizes to the nucleus. It functions as a part of a developmental regulatory system, providing cells with specific positional identities on the anterior-posterior axis. HoxC4

expression levels increase with differentiation of lymphoid cells, suggesting its role in the

molecular regulation of hematopoiesis. HoxC4 is also expressed in differentiated keratinocytes.

3E, Homeobox C4, Homeobox protein CP19, Homeobox protein Hox C4, Homeobox protein

Gene ID:

3221

Application Details

Application Notes: WB 1:300-5000

IHC-P 1:200-400

IHC-F 1:100-500

Restrictions: For Research Use only

Handling

| Format: | Liquid |
|--------------------|--|
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C for 12 months. |
| Expiry Date: | 12 months |