

## Datasheet for ABIN1396087 anti-SLC51B antibody (FITC)



Overview Quantity: 100 µL SLC51B (OSTBETA) Target: Reactivity: Human, Mouse, Rat Host: Rabbit Clonality: Polyclonal Conjugate: This SLC51B antibody is conjugated to FITC Application: Western Blotting (WB) **Product Details** KLH conjugated synthetic peptide derived from human OST-beta Immunogen: Isotype: lgG Cross-Reactivity: Mouse Predicted Reactivity: Human,Rat

## Target Details

Purification:

Target:	SLC51B (OSTBETA)
Alternative Name:	Ost-beta (OSTBETA Products)
Background:	Synonyms: organic solute transporter beta Ostbeta, Organic solute transporter subunit beta, Ostbeta, Ost beta, OST-beta, OSTB, OSTB_HUMAN.

Purified by Protein A.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1396087 | 07/26/2024 | Copyright antibodies-online. All rights reserved.

	Background: The heteromeric transporter OST Alpha/OST Beta facilitates the transport of bile
	and other steroid solutes across the basolateral epithelial cell membrane of intestine, liver,
	testis, kidney and adrenal gland. OST Alpha/OST Beta expression is induced by bile acids
	through ligand-dependent transactivation of their genes by FXR (Farnesoid X-activated
	receptor). This genetic regulation suggests that in response to changes in intracellular bile acid
	levels, bile acids adjust the rate of their own efflux from enterocytes. OST Beta is a 128 amino
	acid single-pass transmembrane protein that requires OST Alpha to localize to the plasma
	membrane. Coexpression of OST Alpha and OST Beta is also required to convert the OST Alpha
	subunit to a mature glycosylated endoglycosidase H-resistant form, suggesting that co-
	expression facilitates trafficking of OST Alpha through the golgi apparatus. Though widely
	expressed, OST Beta is present at highest levels in ileum.
Gene ID:	123264
Pathways:	Regulation of Carbohydrate Metabolic Process
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN1396087 | 07/26/2024 | Copyright antibodies-online. All rights reserved.