

[Go to Product page](#)

Datasheet for ABIN1397762

anti-AKAP5 antibody (AA 611-714) (Alexa Fluor 555)

Overview

Quantity:	100 µL
Target:	AKAP5
Binding Specificity:	AA 611-714
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This AKAP5 antibody is conjugated to Alexa Fluor 555
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human AKAP5
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human, Mouse, Dog, Cow, Pig, Horse, Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	AKAP5
Alternative Name:	AKAP5 (AKAP5 Products)

Target Details

Target Type:	Viral Protein
Background:	<p>Synonyms: A kinase PRKA anchor protein 5, A kinase anchor protein 5, A kinase anchor protein 79 kDa, A kinase anchoring protein 75/79, A-kinase anchor protein 5, A-kinase anchor protein 79 kDa, AKAP 5, AKAP 75, AKAP 79, AKAP-5, Akap5, AKAP5_HUMAN, AKAP75, AKAP79, cAMP dependent protein kinase regulatory subunit II high affinity binding protein, cAMP-dependent protein kinase regulatory subunit II high affinity-binding protein, H21.</p> <p>Background: The type II cAMP-protein kinase (PKA) is a multifunctional kinase with a broad range of substrates (1). Specificity of PKA signaling is thought to be mediated by the compartmentalization of the kinase to specific sites within the cell. To maintain this specific localization, the R subunit (RII) of PKA interacts with specific RII-anchoring proteins. This family of proteins has been designated A-kinase anchoring proteins (AKAP) (1-3). Members of this family, including MAP2 (microtubule-associated protein 2), neuronally expressed AKAP 79 and AKAP 150, and the DNA binding AKAP 95, display differential tissue specificity and localization (4-6). Evidence suggests that AKAP 79 and AKAP 150 are both capable of anchoring PKA to postsynaptic densities (PSD), which are a network of proteins located on the internal surfaces of excitatory synapses.</p>
Gene ID:	9495
UniProt:	P24588
Pathways:	cAMP Metabolic Process

Application Details

Application Notes:	IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin

Handling

Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months