

Datasheet for ABIN1398008

anti-NSG1 antibody (AA 1-100) (FITC)



Overview

Quantity:	100 μL	
Target:	NSG1 (D4S234E)	
Binding Specificity:	AA 1-100	
Reactivity:	Mouse, Monkey	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This NSG1 antibody is conjugated to FITC	
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human NEEP21	
Isotype:	IgG	
Cross-Reactivity:	Monkey, Mouse	
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Pig,Horse,Chicken,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	NSG1 (D4S234E)
Alternative Name:	NEEP21 (D4S234E Products)

Target Details

Background:

Synonyms: neuron-enriched endosomal 21 kDa protein, NSG1_HUMAN.

Rackground: NEEP21_also known as Brain neuron cytoplasmic protein 1

Background: NEEP21, also known as Brain neuron cytoplasmic protein 1, NSG1 (neuron-specific proteins family member 1), P21 or D4S234E, is a single pass type II membrane protein belonging to the NSG family. It is highly expressed during neuronal maturation but its expression is downregulated in adult tissues. NEEP21 predominantly localizes to Rab 4-positive early endosomes in the somatodendritic neuronal compartment and is essential for proper receptor sorting and recycling in neurons. It associates with GRIP1 and GluR-2 and mediates the surface expression of GluR-2. When this interaction is interrupted, GluR-2 accumulates in early endosomes and leads to changes in evoked synaptic current properties. In addition, NEEP21 forms a complex with the SNARE protein, Syntaxin 13 (also known as Syntaxin 12), and participates in the recycling of transferrin receptors (TFRs) and NTR2 (neurotensin receptor 2).

Application Details

An	plication	Notes
\neg	piication	INOICS

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

12 months

Restrictions:

For Research Use only

Handling

Expiry Date:

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.