# antibodies -online.com





## anti-CTDSPL antibody (AA 175-276) (Alexa Fluor 488)



$\sim$				
	11/6	٦r١	/10	۱۸.

Quantity:	100 μL	
Target:	CTDSPL	
Binding Specificity:	AA 175-276	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CTDSPL antibody is conjugated to Alexa Fluor 488	
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human CTDSPL	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse	
Predicted Reactivity:	Rat,Cow,Sheep,Pig,Horse,Chicken	
Purification:	Purified by Protein A.	

#### **Target Details**

Target:	CTDSPL
Alternative Name:	CTDSPL (CTDSPL Products)

### **Target Details**

_			
Background:	Synonyms: Carboxy-terminal domain RNA polymerase II polypeptide A small phosphatase 3,		
	CTD small phosphatase-like protein, CTDSL_HUMAN, CTDSP-like, Ctdspl, hYA22, N-like protein,		
	NLI-interacting factor 1, Nuclear LIM interactor-interacting factor 1, Protein YA22, RBSP3, SCP3,		
	Small C-terminal domain phosphatase 3, Small CTD phosphatase 3.		
	Background: Preferentially catalyzes the dephosphorylation of 'Ser-5' within the tandem 7		
	residues repeats in the C-terminal domain (CTD) of the largest RNA polymerase II subunit		
	POLR2A. Negatively regulates RNA polymerase II transcription, possibly by controlling the		
	transition from initiation/capping to processive transcript elongation (By similarity). Recruited		
	by REST to neuronal genes that contain RE-1 elements, leading to neuronal gene silencing in		
	non-neuronal cells.		
Gene ID:	10217		
Application Details			
Application Notes:	FCM 1:20-100		
	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		
Expiry Date:	12 months		